INDEX

ALESHIN, I. M., DROFA, M. A. and KUZMENKOV, K. S. Strong nonlinear stationary Langmuir waves ($T \ll mc^2$), 177

ASLAKSEN, T. K. and HAVNES, O. Kinetic theory for a distribution of ionized dust particles, 271

ASTHANA, M., SODHA, M. S. and MAHESHWARI, K. P. Relativistic self-focusing of laser beams in time-harmonic plane waves: arbitrary intensity, 155

BARBULLA, W. and REBHAN, E. Refined theory of tearing growth rates. Part 1. Plasma model without stability threshold, 29

BERK, H. L. *See* KOTELNIKOV, I. A. and BERK, H. L.

BRODERICK, N. G. *See* MELROSE, D. B., NICHOLLS, J. and BRODERICK, N. G.

ČERČEK, M. *See* JELIĆ, N., ČERČEK, M., STANOJEVIĆ, M. and GYERGYEK, T.

CHAKRABORTY, B. *See* DESAI, T., PANT, H. C., KHAN, M., SARKARS, S. and CHAKRABORTY, B.

CHIAN, A. C. L. and RIZZATO, F. B. Coupling of electromagnetic filamentation instability and electrostatic Langmuir parametric instabilities in laser-plasma interactions, 61

CORSO, G. and RIZZATO, F. B. Higher harmonics and longitudinal momentum in the stochastic interaction of magnetized electrons and ordinarily polarized modes, 139

CRAMER, N. F. Magneto-acoustic surface waves on current sheets, 221

DAI, W. and WOODWARD, P. R. Structures of reconnection layers based on the ideal magnetohydrodynamic equations, 381

DAS, K. P. *See* GHOSH, G. and DAS, K. P.

DENG, X. H., ZHANG, C., HUO, Y. P., WANG, J. F. and WANG, S. Sensitivity of global energy confinement to the boundary condition due to coupling of MHD and transport processes, 201

DESAI, T., PANT, H. C., KHAN, M., SARKAR, S. and CHAKRABORTY, B. Specular reflection as a probe for diagnostics of laser-produced plasmas, 211

DOMMASCHK, W. A necessary condition for omnigenity in stellerators, 261

DROFA, M. A. *See* ALESHIN, I. M., DROFA, M. A. and KUZMENKOV, L. S.

EL-DIB, Y. O. Nonlinear hydrodynamic Rayleigh-Taylor instability of viscous magnetic fluids: effect of a tangential magnetic field, 1

ELHEFNAWY, A. R. F. Nonlinear Kelvin–Helmholtz instability in magnetic fluids of finite thickness: effects of a tangential magnetic field, 451

GHOSH, G. and DAS, K. P. Three-dimensional stability of solitary kinetic Alfvén waves and ion-acoustic waves, 95

GONZALEZ, A. G. and GRATTON, J. The Kelvin–Helmholtz instability in a compressible plasma: the role of orientation of the magnetic field with respect to the flow, 43

GOOSSENS, M. *See* ZHELYAZKOV, I., MURAWSKI, M., GOOSSENS, M., NENOVSKI, P. and ROBERTS, B.

GRATTON, J. *See* GONZALEZ, A. G. and GRATTON, J.

GYERGYEK, T. *See* JELIĆ, N., ČERČEK, M., STANOJEVIĆ, M. and GYERGYEK, T.

Hanssen, A., Pećseli, H. L., Stenflo, L. and Trulsen, J. Nonlinear wave interactions in two-electron-temperature plasmas, 423

Havnes, O. *See* Aslaksen, T. K. and Havnes, O.

Huo, Y. P. *See* Deng, X. H., Zhang, C., Huo, Y. P., Wang, J. F. and Wang, S.

Ito, T. and Nakamura, Y. Reflection and excitation of ion-acoustic waves in a multi-component plasma with negative ions, 185

Jardine, M. Three-dimensional steady-state magnetic reconnection, 399

Jelić, N., Čerček, M., Stanojević, M. and Gyergyek, T. Conditions for the existence of strong double layers, 233

Khan, M. *See* Desai, T., Pant, H. C., Khan, M., Sarkar, S. and Chakraborty, B.

Konar, S. and Rai, V. Parametric decay instability of an upper-hybrid wave in a two-temperature plasma, 193

Kotelnikov, I. A. and Berk, H. L. Finite-Larmor-radius flute-mode theory with end loss, 309

Kurian, P. J. *See* Venugopal, C., Kurian, P. J. and Renuka, G.

Kuzmenkov, L. S. *See* Aleshin, I. M., Drofa, M. A. and Kuzmenkov, L. S.

Maheshwari, K. P. *See* Asthana, M., Sodha, M. S. and Maheshwari, K. P.

Melrose, D. B. Induced photon decay and photon-beam-induced Langmuir turbulence, 13

Melrose, D. B., Nicholls, J. and Broderick, N. G. Surface currents on models of force-free solar magnetic flux tubes, 163

Misguich, J. H. *See* Spineanu, F., Vlad, M. and Misguich, J. H.

Murawski, M. *See* Zhelyazkov, I., Murawski, M., Goossens, M., Nenovski, P. and Roberts, B.

Nakamura, Y. *See* Ito, T. and Nakamura, Y.

Nejoh, Y. Large-amplitude relativistic nonlinear Langmuir waves in a two-fluid plasma, 441

Nenovski, P. *See* Zhelyazkov, I., Murawski, M., Goossens, M., Nenovski, P. and Roberts, B.

Nicholls, J. *See* Melrose, D. B., Nicholls, J. and Broderick, N. G.

Pant, H. C. *See* Desai, T., Pant, H. C., Khan, M., Sarkar, S. and Chakraborty, B.

Pećseli, H. L. *See* Hanssen, A., Pećseli, H. L., Stenflo, L. and Trulsen, J.

Petržilka, V. A. Possible beneficial ponderomotive force effects on fast-wave coupling in tokamaks, 433

Rai, V. *See* Konar, S. and Rai, V.

Rebhan, E. *See* Barbulla, W. and Rebhan, E.

Renuka, G. *See* Venugopal, C., Kurian, P. J. and Renuka, G.

Rizzato, F. B. *See* Chian, A. C. L. and Rizzato, F. B.

Rizzato, F. B. *See* Corso, G. and Rizzato, F. B.

Roberts, B. *See* Zhelyazkov, I., Murawski, M., Goossens, M., Nenovski, P. and Roberts, B.

Robinson, P. A. *See* Willes, A. J. and Robinson, P. A.

Sarkar, S. *See* Desai, T., Pant, H. C., Khan, M., Sarkar, S. and Chakraborty, B.

Sharma, S. R. *See* Yadav, L. L., Tiwari, R. S. and Sharma, S. R.

Sodha, M. S. *See* Asthana, M., Sodha, M. S. and Maheshwari, K. P.

Spineanu, F., Vlad, M. and Misguich, J. H. Non-diffusive corrections to the long-scale behaviour of ensembles of turbulent magnetic lines: applications of the functional method, 113

Stanojević, M. *See* Jelić, N., Čerček, M., Stanojević, M. and Gyergyek, T.

Stenflo, L. *See* Hanssen, A., Pećseli, H. L., Stenflo, L. and Trulsen, J.

Tiwari, R. S. *See* Yadav, L. L., Tiwari, R. S. and Sharma, S. R.

Trulsen, J. *See* Hanssen, A., Pećseli, H. L., Stenflo, L. and Trulsen, J.

Venugopal, C., Kurian, P. J. and Renuka, G. Ion-cyclotron modes in weakly relativistic plasmas, 371

Vlad, M. *See* Spineanu, F., Vlad, M. and Misguich, J. H.

Wang, J. F. *See* Deng, X. H., Zhang, C., Huo, Y. P., Wang, J. F. and Wang, S.

Wang, S. *See* Deng, X. H., Zhang, C., Huo, Y. P., Wang, J. F. and Wang, S.

Wiechen, H. and Ziegler, H. J. Relaxation of collisionless plasmas, 341

Willes, A. J. and Robinson, P. A. Electron-cyclotron maser emission from streaming distributions, 75

Woodward, P. R. *See* Dai, W. and Woodward, P. R.

Yadav, L. L., Tiwari, R. S. and Sharma, S. R. Obliquely propagating ion-acoustic nonlinear periodic waves in a magnetized plasma with two electron species, 355

Zhang, C. *See* Deng, X. H., Zhang, C., Huo, Y. P., Wang, J. F. and Wang, S.

Zhelyazkov, I., Murawski, M., Goossens, M., Nenovski, P. and Roberts, B. Modulations of slow sausage surface waves travelling along a magnetized slab, 291

Ziegler, H. J. *See* Wiechen, H. and Ziegler, H. J.

Book Review

Nonlinear and Relativistic Effects in Plasmas Edited by V. Stefan, 467